

Sessions

Web Development


How to Make an Application out of a Web Page?

- On the internet, a web page is a web page is a web page...
 - If you surf from ./page1.html to ./page2.html these are two unique requests.
 - The server doesn't know anything about the fact that both pages are visited by the same user.
- Sessions are the technique used to logically group several requests into a "group" (called a session)
 - If you start a session, the server will know that it's still the same user who surfed from ./page1.html to ./page2.html




Sessions


- HTTP itself is “stateless”
 - no state stored on the server between requests from the same client
- but many web apps are stateful
 - necessary to connect requests from the same user / browser / browser-window, e.g. shopping cart, appointments calendar etc...
- *Session*
 - multiple requests performed in a stateful context
- *Session tracking*
 - technique that allows sessions in stateless environments



Session Tracking



- User surfs to <http://demo.com>
 - Server (on 1st request / if no sessionID stored on client)
 - generates unique session id, which is mapped to ...
 - ... a session-object
 - stored in memory (lost on shutdown), in a file or in database
 - can contain anything (list of articles, game state, counters, ...)
 - Session id is added to the response
- from now on:
 - each subsequent request from the same user (browser) must contain the session id ...
 - ... which is used by the server to map to the session-object
- No data gets stored on the client, except SessionID



Session Tracking Techniques

HttpSession


Cookies

Hidden Field

URL-Rewriting

Cookies

1. Server creates a cookie with session-id on first request
2. Server maps id to a new user-specific session object
3. The session-id is sent to the client with the first response
4. ..and automatically added by the browser on each further request (to the same address/domain/...)
5. Server receives request + cookie with session-id
6. Server maps session-id to session-object



URL Rewrite


- Basic idea:
 - Server adds the session-id to all links the user can follow
 - `http://server/myhome`
 - is changed to
 - `http://server/myhome?sessionid=123`
 - session-id must be dynamically added
 - functionality usually offered by scripting frameworks

Hidden Form Fields

- In HTML, we can define "hidden" fields in a form
 - `<input type="hidden" name="sessionid" value="123">`
- These fields are not visible and cannot be changed by the client
- Usage:
 - server creates a session-object for each client and generates a unique ID
 - When HTML documents are created and sent back, the hidden form field is automatically generated containing the actual ID
 - Upon form submit, the session ID is automatically sent back to the server
 - The server can associate this call with an already existing session

Web Frameworks

- Cookies generally preferred.
- However, framework will try to ‘abstract away’ specific session management technology, and deliver simpler abstraction to the programmer
- Framework may in fact be able to switch between different techniques depending on circumstances.



Except where otherwise noted, this content is licensed under a Creative Commons Attribution-NonCommercial 3.0 License.

For more information, please see <http://creativecommons.org/licenses/by-nc/3.0/>

